



THE ULTIMATE DIVINE

Follow us on



www.korbceramic.com

The collection logo for KORB is a combination of all three colors—white, beige, and dark brown—arranged in an abstract pattern that symbolizes the timeless beauty of countertops.

KORB'un koleksiyon logosu, tezgahların zamansız güzelliğini simgeleyen soyut bir desende düzenlenmiş beyaz, bej ve koyu kahverengi renklerinin birleşiminden oluşuyor.

B R I G H T L I V I N G
P A R L A K Y A Ş A M



beautiful and durable countertops to add elegance.
şıklık katmak için güzel ve dayanıklı tezgahlar.

A Special Touch Of Gloss.

Özel Bir Dokunuş Gloss'un.

KORB's countertops come in a variety of colors and materials, all with one thing in common: a high gloss finish that provides an exquisite shine. The cutouts of our countertops are exceptional, and the edges of these countertops are designed to offer a special sense of sophistication with a beveled design that adds a unique style to the countertop.


KORB'un tezgahları çeşitli renk ve malzemelerden oluşur ve hepsinin ortak bir özelliği vardır: mükemmel bir parlaklık sağlayan yüksek parlaklıkta bir yüzey. Tezgahlarımızın kesimleri olağanüstüdür ve bu tezgahların kenarları, tezgaha benzersiz bir stil katan eğimli bir tasarımla özel bir incelik duygusu sunmak üzere tasarlanmıştır.



Glossy Finish
Parlak Kaplama



Cut outs
Kesip çıkarmalar



The edges
Kenarlar



Countertops provide a lasting and sophisticated look.
Tezgahlar kalıcı ve sofistike bir görünüm sağlar.

Features Özellikler

Our countertop features a high-quality finish, which not only gives it a sleek look but also protects against scratches, spills, and other damage. It includes ease of cleaning, water resistance, chemical resistance, stain resistance, and many more.

Tezgahımız, sadece şık bir görünüm vermekle kalmayıp aynı zamanda çizilmelere, dökülmelere ve diğer hasarlara karşı koruyan yüksek kaliteli bir kaplamaya sahiptir. Temizlik kolaylığı, suya dayanıklılık, kimyasallara dayanıklılık, leke direnci ve çok daha fazlasını içerir.



Hygienic & suitable for contact with food



Easy to clean surface



Water Resistant surface



Resistant to chemicals acids, bases & solvents



Stain resistant surface



Flatness & Stability over time



Resistant to mould mildew & fungus



UV Resistant surface



Resistant to heat & High temperatures



Impact resistant surface



Frost proof surface




Scratch proof & Abrasion resistant




Edge Profile Kenar Profili

The edge profile of your countertop is an important factor to consider when planning the design of your kitchen or bathroom. Depending on the size of your countertop, there are several edge profiles to choose from, including a standard straight edge, a beveled edge, and even an ogee edge.

Tezgahınızın kenar profili, mutfakınızın veya banyonuzun tasarımını planlarken göz önünde bulundurmanız gereken önemli bir faktördür. Tezgahınızın boyutuna bağlı olarak, standart düz kenar, eğimli kenar ve hatta ogee kenar dahil olmak üzere aralarından seçim yapabileceğiniz çeşitli kenar profilleri vardır.



Double Bevel
Çift Eğim




Crescent
Hilâl



Big Bevel
Büyük Eğim



Small Bevel
Küçük Eğim



Top Radius
Üst Yarıçap

Joint Possibilities
Ortak İmkânlar



Birds beak
Kuş gagası



45° corner
45° köşe



Soft corner
Yumuşak köşe

**AFYON
WHITE**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**AFYON
WHITE**

**APUANE
STATUARIO**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**APUANE
STATUARIO**

**BIANCO
EXTRA**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**BIANCO
EXTRA**

**CALCATT
ULTRA**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**CALCATT
ULTRA**

**HEROZIN
WHITE**


SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01

**HEROZIN
WHITE**



**MARBLE
VOLAKAS**


SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01





**MONT
BLANC**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**PANDA
WHITE**

SIZE / BOYUT :
80X320CM


FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**PANDA
WHITE**



**STATUARIO
ALTISSIMO**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**STATUARIO
PEARL**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**STATUARIO
PEARL**

**STATUARIO
UNICO**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**STATUARIO
UNICO**

**BLACK
FUSION**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01

**BLACK
FUSION**

**LOURENT
GOLD**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**LOURENT
GOLD**


**MARQUINA
NERO**

SIZE / BOYUT :
80X320CM

FINISH / BITIS :
GLOSSY (PARLAK)

THICKNESS / KALINLIK :
15MM

RANDOM / RASTGELE :
01



**MARQUINA
NERO**

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline – Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant – Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline – Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

HOW WE ARE DIFFERENT FROM GRANITE & QUARTZ

AREA OF COMPARISON	KORB	GRANITE	QUARTZ STONE
Flexural Strength	> 40 Mpa	> 21 Mpa	40 – 50 Mpa
Apparent Density	2.20 – 2.70 kg/dm ³	2.20 – 2.40 kg/dm ³	2.20 – 2.45 kg/dm ³
Abrasion Resistance	> 25 mm	> 16.4 – 18 mm	20 – 22 mm
Colour Consistency	As Per Standard	Variable	As Per Standard
Porosity	Low	High	High
Frost Resistance	Pass	Pass	Fail
Cost Of Onsite Pdishing	Nil	Extra	Nil
Water Absorption %	0.08	0.1	0.2
Wastage	No	Yes	No
Pinhole Cracks	No	Yes	No
Uniformity In Quantity Supplied	Yes	No	No
Laying & Completion Time	Low	High	Average
Maintenance	Low	High	High
Size Consistency	Yes	No	Yes
Thickness	Fix	Variable	Fix
Hardness	6	4	6
Breaking Strength	High	Low	High
Glossiness	95+	70	55
Chemical Resistance	Resistance	Reactable	Reactable
Stain Free	Yes	No	No

All pictures are shown for illustration purposes only, Kindly note, actual colors may vary and color variation with batch change may occur.



Size That Exude Charm Boyut Bu Cazibe Saçın

The size of 80 x 320 cm is creatively crafted to fit into your surroundings with utmost sophistication and elegance. Countertops are made from the finest materials and come in a variety of sizes, shapes, and finishes. Depending on your preference and the look you are aiming for, the size of your countertop can make a big difference in the overall aesthetic of your kitchen or bathroom.

80 x 320 cm boyutları, çevrenize son derece sofistike ve şık bir şekilde uyum sağlamak için yaratıcı bir şekilde hazırlanmıştır. Tezgahlar en iyi malzemelerden üretilir ve çeşitli boyut, şekil ve yüzeylere sahiptir. Tercihinize ve hedeflediğiniz görünüme bağlı olarak, tezgahınızın boyutu mutfağınızın veya banyonuzun genel estetiğinde büyük bir fark yaratabilir.

80x 320cm

Countertops that are exceptionally beautiful and durable
Son derece güzel ve dayanıklı tezgahlar

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value< 7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7 <Gloss Value< 18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness < 7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥ 7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥ 7.5 (15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 cycle	Min. '0 cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy PO(<'') / Posh ≥P(''_-4)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹¹	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished

** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

As per customer requirement

Packing Details

TILE SIZE	THICKNESS	NO. OF TILES / BOX	WEIGHT / BOX (APPROX.)	COVERAGE AREA
800X3200MM	15 MM	01	89 KG.	2.56M ²

